

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("(webadj\$4)with(useradj (interfaceorGUIorbrows\$3))". PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L2	0	(webadj\$4)with(useradj (interfaceorGUIorbrows\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L3	5141	(web adj serv\$4) with (user adj (interface or GUI or brows\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L4	1	L3 and ((database adj serv\$4) with (business adj (process or method)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L5	57	L3 and (database adj serv\$4) and (business adj (process or method))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L6	1	L4 and ((identi\$3 or organization or compan\$3 or utilit\$4) with model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L7	1	L4 and transaction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L8	0	L4 and (work\$1flow or (work adj assignment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20

L9	1	L4 and (work\$1flow or (work adj assignment) or job)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L10	0	L4 and (work\$1flow or (work adj assignment) or (job with list))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L11	1	L4 and (task or transaction or work or assignment or process)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L12	4749	L3 and (task or transaction or work or assignment or process)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L13	968	L3 and (list with (task or transaction or work or assignment or process))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L14	59	L3 and (list with (task or transaction or work or assignment or process) with (model or architecture or module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L15	37	L3 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L16	35	L3 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L17	17	L3 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and (database adj serv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20

L18	15	L3 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and (database adj serv\$4) and business	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L19	7	L3 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and (database adj serv\$4) and (business with (process or method))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L20	2	L3 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and (database adj serv\$4) and (business with (process or method)) and @ad < "20000320"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L21	0	("(webadjserv\$4)with(useradj(interfaceorGUIorbrows\$3))". PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L22	0	(webadjserv\$4)with(useradj(interfaceorGUIorbrows\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L23	5141	(web adj serv\$4) with (user adj (interface or GUI or brows\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L24	1	L23 and ((database adj serv\$4) with (business adj (process or method)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L25	0	L24 and (work\$1flow or (work adj assignment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20

L26	57	L23 and (database adj serv\$4) and (business adj (process or method))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L27	1	L24 and ((identi\$3 or organization or compan\$3 or utilit\$4) with model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L28	1	L24 and transaction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L29	15	L23 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and (database adj serv\$4) and business	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L30	1	L24 and (work\$1flow or (work adj assignment) or job)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L31	0	L24 and (work\$1flow or (work adj assignment) or (job with list))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L32	1	L24 and (task or transaction or work or assignment or process)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L33	4749	L23 and (task or transaction or work or assignment or process)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L34	968	L23 and (list with (task or transaction or work or assignment or process))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20

L35	37	L23 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L36	59	L23 and (list with (task or transaction or work or assignment or process) with (model or architecture or module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L37	35	L23 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L38	17	L23 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and (database adj serv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L39	7	L23 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and (database adj serv\$4) and (business with (process or method))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L40	2	L23 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and (database adj serv\$4) and (business with (process or method)) and @ad < "20000320"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
L41	2	"7143120".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/06 12:20
S1	0	("(webadj serv\$4) with (useradj (interfaceorGUI or brows\$3))"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:31

S2	0	(webadj serv\$4)with(useradj (interfaceorGUIorbrows\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:31
S3	3945	(web adj serv\$4) with (user adj (interface or GUI or brows\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:32
S4	1	S3 and ((database adj serv\$4) with (business adj (process or method)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:33
S5	43	S3 and (database adj serv\$4) and (business adj (process or method))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:34
S6	1	S4 and ((identi\$3 or organization or compan\$3 or utilit\$4) with model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:36
S7	1	S4 and transaction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:38
S8	0	S4 and (work\$1flow or (work adj assignment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:37
S9	1	S4 and (work\$1flow or (work adj assignment) or job)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:38
S10	0	S4 and (work\$1flow or (work adj assignment) or (job with list))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:38

S11	1	S4 and (task or transaction or work or assignment or process)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:40
S12	3642	S3 and (task or transaction or work or assignment or process)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:40
S13	718	S3 and (list with (task or transaction or work or assignment or process))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:41
S14	44	S3 and (list with (task or transaction or work or assignment or process) with (model or architecture or module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:41
S15	29	S3 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:42
S16	27	S3 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:42
S17	16	S3 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and (database adj serv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:43
S18	14	S3 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and (database adj serv\$4) and business	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:43

S19	7	S3 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and (database adj serv\$4) and (business with (process or method))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:44
S20	2	S3 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and (database adj serv\$4) and (business with (process or method)) and @ad < "20000320"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:44
S21	0	("(webadj serv\$4)with(useradj (interfaceorGUIorbrows\$3))"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S22	0	(webadj serv\$4)with(useradj (interfaceorGUIorbrows\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S23	4450	(web adj serv\$4) with (user adj (interface or GUI or brows\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S24	1	S23 and ((database adj serv\$4) with (business adj (process or method)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S25	0	S24 and (work\$1flow or (work adj assignment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S26	54	S23 and (database adj serv\$4) and (business adj (process or method))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03

S27	1	S24 and ((ident\$3 or organization or compan\$3 or utilit\$4) with model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S28	1	S24 and transaction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S29	14	S23 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and (database adj serv\$4) and business	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S30	1	S24 and (work\$1flow or (work adj assignment) or job)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S31	0	S24 and (work\$1flow or (work adj assignment) or (job with list))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S32	1	S24 and (task or transaction or work or assignment or process)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S33	4101	S23 and (task or transaction or work or assignment or process)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S34	819	S23 and (list with (task or transaction or work or assignment or process))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S35	34	S23 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03

S36	50	S23 and (list with (task or transaction or work or assignment or process) with (model or architecture or module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S37	32	S23 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S38	16	S23 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and (database adj serv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S39	7	S23 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and (database adj serv\$4) and (business with (process or method))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S40	2	S23 and (list with (task or transaction or work or assignment or process) with (model or architecture or module)) and (entity or organization) and (database adj serv\$4) and (business with (process or method)) and @ad < "20000320"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:19
S41	2	"7143120".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:19

9/ 6/ 2008 12:28:59 PM

C:\Documents and Settings\klu\My Documents\EAST\Workspaces\09814315b.wsp